

ELSEVIER

Sedimentary Geology 123 (1999) 277-278

## Sedimentary Geology

## Contents Volume 123, 1999

| Kesearch Papers  |     |
|--|-----|
| Late Miocene Mediterranean desiccation: topography and significance of the 'Salinity Crisis' erosion surface on-land in southeast Spain  |     |
| R. Riding, J.C. Braga and J.M. Martín  |     |
| Timing and genesis of early marine caymanites in the hydrothermal palaeokarst system of Buda Hills, Hungary L. Korpás, M. Lantos and A. Nagymarosy   |     |
| Sedimentology of the Cretaceous Maha Sarakham evaporites in the Khorat Plateau of northeastern Thailand  |     |
| M. El Tabakh, C. Utha-Aroon and B.C. Schreiber  Lower Ordovician iron ooids and associated oolitic clays in Russia and Estonia: a clue to the origin of iron oolites?  | 3   |
| U. Sturesson, A. Dronov and T. Saadre  Progressive changes in sedimentary facies and stratal patterns along the strike-slip margin, northeastern Jinan Basin (Cretaceous), southwest Korea: implications for differential subsidence | 6.  |
| S.H. Lee and S.K. Chough   | 8   |
| Facies analysis and sequence stratigraphy of a Miocene warm-temperate carbonate ramp, Montagna della Maiella,<br>Italy   |     |
| A. Vecsei and D.G.K. Sanders   | 103 |
| Pore water evolution in sandstones of the Groundhog Coalfield, northern Bowser Basin, British Columbia   |     |
| H.O. Cookenboo and R.M. Bustin   | 129 |
| Discussion   |     |
| Low limit of Mn2+-activated cathodoluminescence in calcite: state of the art — comment   |     |
| F. Bruhn and P. Bruckschen   | 14  |
| Low limit of Mn <sup>2+</sup> -activated cathodoluminescence of calcite: state of the art — reply D. Habermann, R.D. Neuser and D.K. Richter   | 149 |
| Kinematic indicators in fault gouge: tectonic analogy for soft-bedded ice sheets — comment   |     |
| J. Shaw  | 15. |
| N. Eyles and J.I. Boyce  | 15  |
| ExpresSed  |     |
| Hummocky moraine: sedimentary record of stagnant Laurentide Ice Sheet lobes resting on soft beds   |     |
| N. Eyles, J.I. Boyce and R.W. Barendregt   | 163 |
| Erosional remnants and pockets evolving from biotic-physical interactions in a Recent lower supratidal environ-<br>ment  |     |
| N. Noffke  | 175 |
| Research papers  |     |
| Facies architecture and sequence stratigraphy in glacially influenced basins: basic problems and water-level/glacier input-point controls (with an example from the Quaternary of Ontario, Canada)                                   |     |
| M.F. Brookfield and I.P. Martini   | 183 |

| Sedimentology of gravelly Lake Lahontan highstand shoreline deposits, Churchill Butte, Nevada, USA T.C. Blair                                | 199 |
|--|-----|
| Sedimentological characteristics and morphology of the aeolian sand dunes in the eastern part of the UAE, a case study from Ar Rub' Al Khali |     |
| M.I. El-Sayed  | 219 |
| A paleo-Brahmaputra? Subsurface lithofacies analysis of Miocene deltaic sediments in the Himalayan-Bengal system, Bangladesh                 |     |
| A. Uddin and N. Lundberg   | 239 |
| The origin of sulphur in gypsum and dissolved sulphate in the Central Namib Desert, Namibia  |     |
| F.D. Eckardt and B. Spiro  | 255 |
| Author Index Volume 123, 1999  | 275 |

